

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	59880	master same slave	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 13:33
S2	61300	master\$2 same slave\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 13:33
S3	531	710/110.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 13:33
S4	364	S3 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 13:33
S5	5629	transaction request\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 13:33
S6	42	S3 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 13:34
S7	2	transaction annotator\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 13:36
S8	4	(transaction or request) near2 annotator\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 13:39

S9	17773	(transaction or request) near2 (identifier\$2 or id\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 13:40
S10	484	(transaction or request) near2 (identifier\$2 or id\$2) and master near2 (id or identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 13:41
S11	2629	(transaction or request) near2 (identifier\$2 or id\$2) and (master or device) near2 (id or identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 13:47
S12	489	(transaction or request) near2 (identifier\$2 or id\$2) and (master or device) near2 (id or identifier) and (master and slave)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 13:48
S13	516	(transaction or request) near2 (identifier\$2 or id\$2) and (master or device) near2 (id or identifier) and slave\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 13:48
S14	72	(transaction or request) near2 (identifier\$2 or id\$2) and (master or device) near2 (id or identifier) and (slave\$2 same (request or transaction) with order\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 14:18
S15	52393	memory controller\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 14:01
S16	38	S14 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 14:05

S17	36	S14 and S15 and mask	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 14:05
S18	36	S14 and S15 and mask and priorit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 14:05
S19	507	master (identifier or id)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 15:38
S20	67	S19 and priority near3 (value or identifier or id or portion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 14:19
S21	71	S19 and priority near3 (value or identifier or id or portion or bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 14:19
S22	41	S19 same priority near3 (value or identifier or id or portion or bit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 14:20
S23	65	S21 and request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 14:21
S24	63	S21 and request and (order\$3 or rank\$3 or queue\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 14:24

S26	6	S21 and request and (order\$3 or rank\$3 or queue\$3) and 710/110.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 14:25
S27	8	S21 and request and (order\$3 or rank\$3 or queue\$3) and memory controller\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 14:38
S28	210	transaction (id or identifier) same transaction request\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 14:38
S29	96	transaction (id or identifier) with transaction request\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 14:43
S30	3	transaction (id or identifier) with transaction request\$2 with master	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 14:48
S31	48	transaction near2 order\$3 near4 logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 15:12
S32	1	transaction near2 order\$3 near4 logic and 710/110.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 14:49
S33	1	transaction ordering logic and 710/110.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 15:16

S34	428	amba with bus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 15:16
S35	21	amba with bus and 710/110.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 15:38
S36	527	(master.(identifier or id)) or (master device (id or identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 15:43
S37	507	(master (identifier or id)) or (master device (id or identifier)) same (read or write) request\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 15:46
S38	507	(master (identifier or id)) or (master device (id or identifier)) same (read or write) request\$2 and (queue\$3 with request\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 15:45
S39	507	(master (identifier or id)) or (master device (id or identifier)) same (read or write) request\$2 and (queue\$3 with request\$2) and (out near2 order)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 15:45
S41	16	((master (identifier or id)) or (master device (id or identifier))) same (read or write) request\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 15:52
S42	9	((master (identifier or id)) or (master device (id or identifier))) same (read or write) request\$2 and priority	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 16:02

S43	23667	request\$2 with priority	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 16:03
S44	1571	request\$2 with priority near2 (value\$2 or field\$2 or tag\$2 or bit\$2 or portion\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 16:06
S45	1797	request\$2 with priority near2 (value\$2 or field\$2 or tag\$2 or bit\$2 or portion\$2 or id\$2 or identifier\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 16:11
S46	582	S45 and (transaction or request) near5 order\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 16:08
S47	108	S45 same (transaction or request) near5 order\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 16:08
S48	14	S45 same (transaction or request) near5 order\$3 same queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 08:29
S49	101	priority near2 (value\$2 or field\$2 or tag\$2 or bit\$2 or portion\$2 or id\$2 or identifier\$2) same (timeout or time-out)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/16 16:12
S51	1799	request\$2 with priority near2 (value\$2 or field\$2 or tag\$2 or bit\$2 or portion\$2 or id\$2 or identifier\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 08:29

S52	14	S51 same (transaction or request) near5 order\$3 same queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 08:29
S53	2	("20050138252").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 13:24
S54	212	compar\$4 near2 memory addresses	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 13:25
S55	16	compar\$4 near2 memory address\$2 near2 range\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 15:57
S56	2666	(time-out or timeout) (bit\$2 or value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 16:14
S57	103859	(add\$3 or combin\$3 or concatenat\$3) near1 (bit\$2 or value\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 16:04
S58	18	S56 same S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 16:09
S59	5	subset near1 bits with concatenat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 16:11

S60	88	subset near1 bits with (add\$3 or combin\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 16:11
S61	1	subset near1 bits with (add\$3 or combin\$3) and (timeout or time-out)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 16:12
S62	3	subset near1 bits with (add\$3 or combin\$3 or calculat\$3) and (timeout or time-out)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 16:13
S63	49	(obtain\$3 or calculat\$3) near4 (time-out or timeout) (bit\$2 or value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 16:14
S64	49	(obtain\$3 or calculat\$3) near4 (time-out or timeout) (bit\$2 or value) same (bit\$2 or value\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 16:15
S65	34	(calculat\$3) near4 (time-out or timeout) (bit\$2 or value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 16:16
S66	0	(calculat\$3) near4 (time-out or timeout) (bit\$2 or value) same (bit\$2 or byte\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 16:18
S67	52	(time-out or timeout) value with bits	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 16:21

S68	527	(calculating or comput\$3) near3 (time-out or timeout)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 16:21
S69	31	(calculating or comput\$3) near3 (time-out or timeout) same bit\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 16:23
S70	43	(calculating or comput\$3) near3 (time-out or timeout) value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 16:23
S71	43	(calculating or comput\$3) near3 (time-out or timeout) value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 16:23
S72	43	(calculating or comput\$3) near3 (time-out or timeout) and "710"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 16:23
S73	1	(calculating or comput\$3) near3 (time-out or timeout) and "710"/110.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 16:24
S74	4	(calculating or comput\$3) near3 (time-out or timeout) value and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 16:26
S75	20284	timeout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 16:26

S76	16845	time-out	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 16:26
S77	6	(timeout or time-out) (field or bit or value or flag) same (concatenat\$3 or link\$3 or combin\$3 or group\$3) near4 bit\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 16:34
S78	2702	concatenat\$3 near4 bits	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 16:34
S79	171	concatenat\$3 near4 bits and (timeout or time-out)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 16:34
S80	60	concatenat\$3 near4 bits and (timeout or time-out) near2 value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 16:35
S81	1	concatenat\$3 near4 bits same (timeout or time-out) near2 value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 16:35
S82	11	concatenat\$3 near2 bits and (timeout or time-out) near2 value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/17 16:35
S83	32	deriv\$3 near3 (timeout or time-out)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/18 08:55

S84	2	deriv\$3 near2 (timeout or time-out) value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/18 09:13
S85	143	(calculat\$3 or deriv\$3) near3 (timeout or time-out or stop) value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/18 09:15
S86	1	(calculat\$3 or deriv\$3) near3 (timeout or time-out or stop) value with (bit\$2 or byte\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/18 09:16
S87	655	(concatenat\$3 or link\$3) bits	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/18 09:17
S88	61	(concatenat\$3 or link\$3) bits with value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/18 09:17
S89	0	(concatenat\$3 or link\$3) bits with value and timeout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/18 09:17
S90	61	(concatenat\$3 or link\$3) bits with value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/18 09:23
S91	3248	(timeout or time-out) (value\$2 or bit\$2 or portion\$2 or flag\$2 or section\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/18 09:27

S92	224	(timeout or time-out) (value\$2 or bit\$2 or portion\$2 or flag\$2 or section\$2) with (calculat\$3 or formulat\$3 or deriv\$3 or concatenat\$3 or compris\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/18 09:29
S93	13	(timeout or time-out) (value\$2 or bit\$2 or portion\$2 or flag\$2 or section\$2) with (calculat\$3 or formulat\$3 or deriv\$3 or concatenat\$3 or compris\$3) with bit\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/18 09:31
S94	69	(concatenat\$3 or combin\$3 or link\$3) bits near5 value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/11/18 09:32